Author Index of Volume 171

Adachi, G., 353
Andersson-Söderberg, M., 179

Bass, P., 157
Benedict, U., L9
Biao, C., 1
Bonhomme, F., 301
Bunzli, J.-C., 273
Buschow, K. H. J., 17, 101, 213, 263, 321

Cekić, B., 9
Chamberland, B. L., 377
Chapuis, G., 372
Chen, Z.-H., 187
Coey, J. M. D., 33

Danqin, Y., 1
Das, I., L13
de Boer, F. R., 213
de Mooij, D. B., 17
Denev, S., 231
Députier, S., 357
Dúbsky, M., 41

Eglmeier, Ch., L27
Eisses, J., 17

Feschotte, P., 157
Figiel, H., 101
Fisher, P., 301
Fomicheva, L. N., L5
Fornasini, M. L., 329
Fruchart, D., 51, 71

Garrett, J. D., 171
Gatev, E., 231
Gecheng, W., L1
Gensini, M., L9
Gering, E., L9
Gerward, L., L9
Gopan, K., 27
Greedan, J. E., 171
Guérin, R., 357
Guillot, M., 51

Harris, I. R., 149
Heinze, T., L31
Horyń, R., L23
Hu, B.-P., 33
Huang, B., 301
Hulliger, F., L9

Ishihara, K. N., 237
Isnard, O., 51
Ivanović, N., 9

Jacobs, T. H., 101
Jansson, K., 369
Jeitschko, W., 95
Jiang, X.-Y., 187
Jiazan, N., L1
Jorda, J. L., 127
Jung, W., 119

Kapusta, Cz., 101
Kemmler-Sack, S., 337
Kimura, M., 195
Koicki, S., 9
Kolbeck, C., 51
Kothari, D. C., 221

le Caer, G., 72
Lera, F., 71

Malaman, B., 71
Manasijević, M., 9
Martinek, G., 17
Marx, V., 63
McGuiness, P. J., 149
Merlo, F., 329
Miraglia, S., 51, 71
Moret, E., 273
Müller-Buschbaum, Hk., 163, 163, 255, 313, 345
Murthy, S. R., 27

Nasar, A., 83
Nasu, S., 237
Nicolo, F., 273
Nygren, M., 369

Obbade, S., 71
Ossi, P. M., 221
Ozawa, M., 195

Pani, M., 329
Pankajavalli, R., 249
Parlapanski, D., 231
Petzel, T., 63
Pivan, J. Y., 357
Pöttgen, R., 95
Prelesnik, B., 9

Range, K.-J., L27
Rentschler, T., 337
Rillo, C., 71
Rodić, D., 9
Rosenberg, M., 101, 263
Ruseva, S., 231
Rygula, M., 337

Sakaguchi, H., 353
Sampathkumaran, E. V., L13
Saugier Cohen-Adad, M. Th., 127
Scheske, St., 313
Schlichenmaier, M., 337
Schobinger-Papamantellos, P., 321
Selvam, P., L17, 301
Shamsuddin, M., 83
Shingu, P. H., 237
Shongrui, L., 1
Siegrist, T., 171
Sinneman, Th., 263
Sobotka, J., 41
Sojka, J., 41
Soubeyroux, J. L., 51, 71
Sreedharan, O. M., 249
Stager, C. V., 171
Staun Olsen, J., L9

Tams, G., 163
Tanaka, T., 237

Tang, N., 213
Tsvyashchenko, A. V., L5

Urland, W., L31

Vijayaraghavan, R., L13
Vodárek, V., 41
Vogt, R., L13, 345
Vomhof, T., 95

Wang, Q., 213
Wang, Y., 187
Wenhe, G., 171
Wilkens, J., 255
Williams, A. J., 149
Wischert, W., 337
Wojakowski, A., L23
Wołcyrz, M., L23
Wolfers, P., 71
Wu, C. H., 213

Yamamoto, E., 353
Yang, F. M., 213
Yvon, K., L17, 301

Zhiband, D., L1
Zhong, X. P., 213
Zhongsheng, J., L1
Zhou, D., 187
Zhou, H., 113
Zhou, R. J., 263
Zukrowski, J., 101

Subject Index of Volume 171

Alkaline earths
  RMX compounds formed by alkaline earths, europium and ytterbium
  II: Ternary phases with M = Zn, Cd and X = Si, Ge, Sn, Pb, 329
Aluminium
  high pressure synthesis of the hexagonal Laves phase UCoAl, L5
  preparation of rapidly solidified amorphous $Al_{85}Ni_5Y_{10}$ powder and alloy, 187
  study on the crystallization of $Al_{88.5}Y_{6.5}Ni_5$ (at.%) amorphous alloy, 1
Antiferromagnetic ordering
  uniaxial antiferromagnetic ordering in $TbNiSi_2$, 321
Arsenic
  the crystal structures of two ternary $M_x(Ga,As)_y$ phases (M = Rh,Pd) with Rh_5Ge_3- and $Cr_{12}P_7$-type derivative structures, 357

Barium
  a study on the $BaIrO_3$ system, 377
  formation of $Bi_9Ba_xCu_5O_{(25.5+x/2)-y}$ phase of the A(BiSrCu) structure type, L23
  $BaCuV_2O_7$: Das letzte Glied der Reihe $MCuV_2O_7$ ($M = Mg^{2+}, Ca^{2+}, Sr^{2+}, Ba^{2+}$), L35
Bismuth
  formation of $Bi_9Ba_xCu_5O_{(25.5+x/2)-y}$ phase of the A(BiSrCu) structure type, L23
  ultrasonic anomalies in single-phase $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_y$ superconducting ceramics, 27
Borides
  high-field magnetization of $Pr_2(Fe,M)_{14}B$ quasi-ternary compounds with M = Al, Ga and Si, 213
  mass spectrometer hydrogen desorption studies on some hydrided NdFeB-type alloys, 149
  ternäre seltenerd-Iridiumboride $SEIr_2B_2$ (SE = Y, La, Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy) mit $CaRh_2B_2$-struktur, 119

Cadmium
  thermodynamic investigations of CdTe–HgTe solid solutions, 83
Calcium
  eine neue phase mit granatstruktur: $Ca_{10}Mg_5Cu_3V_{12}O_{48}$, 345
  separation of hydrogen from H_2–CO gas mixtures using amorphous Ca–Ni alloy films, 353
  ultrasonic anomalies in single-phase $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_y$ superconducting ceramics, 27
Carbides
  a Mössbauer spectroscopy study of $RE_2Fe_{17}C_x$ (with RE = Y, Lu, Gd, Ce, Er), 263
  magnetic properties of the carbides Ln_3C_4 (Ln = Ho–Lu) and $Y_3B_{0.2}C_{3.8}$ with Sc_3C_4-type structure, 95
Carbon
  mechanical alloying of the high carbon Fe–C system, 237
Catalyst supports
  preparation and characterization of zirconium dioxide catalyst supports modified with rare earth elements, 195
Cerium
  phase relations and electrical conductivities in the Nd–Ce–Cu–O system, 127
Characterization
  über halogenooxo-ruthenate: zur kenntnis von $Ba_5RuTaO_9C_{12}$, 255
Cobalt
  high pressure synthesis of the hexagonal Laves phase UCoAl, L5
  investigation of the thermal stability and crystallization process of amorphous $Hf_{0.67}Co_{0.33-x}Ni_x$ alloys with $0 \leqslant x \leqslant 0.33$ by differential scanning calorimetry and X-ray diffraction, 369
Copper
  a phase transition in the pseudoternary solid solutions $YCu_{2-x}Ni_xSi_2$, L13
  eine neue phase mit granatstruktur: $Ca_{10}Mg_5Cu_3V_{12}O_{48}$, 345

formation of $Bi_yBa_xCu_5O_{2.5.5+z/2}$, phase of the A(BiSrCu) structure type, L23
$BaCuV_2O_7$: Das letzte Glied der Reihe $MCuV_2O_7$ ($M = Mg^{2+}, Ca^{2+}, Sr^{2+}, Ba^{2+}$), L35
room temperature section of the phase diagram of the Cu–Fe–Ge ternary system, 113
Crystal chemistry
oxometallate mit partiell salzartigem Anion: die kristallchemie von $BaNi_2(MO_4)_{2-x}(VO_4)_x$(MAs($x = 0,67$) und P($x = 0,64$)) und $SrNi_2(AsO_4)_{2-x}$ $(VO_4)_x$($x = 0,62$), 313
zur kristallchemie von oxometallaten AM_2O_4:$CaGa_{2-x}M_xO_4$ mit M = Fe, Al und M = Cr; $CaGa_{0,7}Fe_{0,7}Al_{0,6}O_4$ und $CaGa_{1,65}Cr_{0,35}O_4$, 163
Crystal data
crystal data for rare earth sesquiselenides Ln_2Se_3 (Ln = Ho, Er, Tm, Yb, Lu) and structure refinement of Er_2Se_3, L27
Crystal structure
crystal structure and superconductivity in Re_2Si, 171
Crystallization
investigation of the thermal stability and crystallization process of amorphous $Hf_{0,67}Co_{0,33-x}Ni_x$ alloys with $0 \leq x \leq 0.33$ by differential scanning calorimetry and X-ray diffraction, 369
study on the crystallization of $Al_{88,5}Y_{6,5}Ni_5$ (at.%) amorphous alloy, 1

Decomposition
thermodynamics of the thermal decomposition and formation of ytterbium(III) oxide selenide, 63
Desorption
mass spectrometer hydrogen desorption studies on some hydrided NdFeB-type alloys, 149

Electromotive force
long-term changes in electromotive force and microstructure of Rh–Pt thermocouples, 41
Electron phase
quasicrystals: an electron phase, 221
Europium
RMX compounds formed by alkaline earths, europium and ytterbium II: Ternary phases with M = Zn, Cd and X = Si, Ge, Sn, Pb, 329
structural and luminescence study of europium and terbium tris(bromate) nonahydrates, 273

Gallium
the crystal structures of two ternary $M_x(Ga,As)_y$ phases (M = Rh, Pd) with Rh_5Ge_3- and $Cr_{12}P_7$-type derivative structures, 357
un nouveau composé intermétallique tres timide: AgGa, 157
Germanium
room temperature section of the phase diagram of the Cu–Fe–Ge ternary system, 113
Gravimetry
investigation of the intermediate hydride phase β-$LaNi_5H_{3.5}$ by high pressure and high temperature gravimetry, L17

Hafnium
investigation of the thermal stability and crystallization process of amorphous $Hf_{0,67}Co_{0,33-x}Ni_x$ alloys with $0 \leq x \leq 0.33$ by differential scanning calorimetry and X-ray diffraction, 369
refinement of the crystal structure of Hf_2Fe, 9
Halogenooxoruthenates
über halogenooxo-ruthenate: zur kenntnis von $Ba_5RuTaO_9C_{12}$, 255
Holmium
structural and magnetic study of $Ho_2Fe_{14}BH_x$ ($X = 0$–3.1), 71
Hyperfine field
the influence of interstitial hydrogen, carbon and nitrogen atoms on the yttrium hyperfine field in Y_2Fe_{17} and Y_2Co_{17}, 101

Indium
phase relationships in the Ni–In–P system, 179
Intermetallic compound
un nouveau composé intemétallique tres timide: AgGa, 157
Interstitial carbon
the influence of interstitial hydrogen, carbon and nitrogen atoms on the yttrium hyperfine field in Y_2Fe_{17} and Y_2Co_{17}, 101
Interstitial hydrogen
the influence of interstitial hydrogen, carbon and nitrogen atoms on the yttrium hyperfine field in Y_2Fe_{17} and Y_2Co_{17}, 101

Interstitial nitrogen
the influence of interstitial hydrogen, carbon and nitrogen atoms on the yttrium hyperfine field in Y_2Fe_{17} and Y_2Co_{17}, 101
Iridium
a study on the $BaIrO_3$ system, 377
ternäre seltenerd-Iridiumboride $SEIr_2B_2$ (SE = Y, La, Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy) mit $CaRh_2B_2$-struktur, 119
Iron
a ^{57}Fe Mösbauer study of Sm_2Fe_{17}, 33
a Mössbauer spectroscopy study of $RE_2Fe_{17}C_x$ (with RE = Y, Lu, Gd, Ce, Er), 263
high-field magnetization of $Pr_2(Fe,M)_{14}B$ quasi-ternary compounds with M = Al, Ga and Si, 213
mass spectrometer hydrogen desorption studies on some hydrided NdFeB-type alloys, 149
mechanical alloying of the high carbon Fe–C system, 237
refinement of the crystal structure of Hf_2Fe, 9
room temperature section of the phase diagram of the Cu–Fe–Ge ternary system, 113
structural and magnetic study of $Ho_2Fe_{14}BH_x$ (X = 0–3.1), 71

Lanthanides
crystal data for rare earth sesquiselenides Ln_2Se_3 (Ln = Ho, Er, Tm, Yb, Lu) and structure refinement of Er_2Se_3, L27
magnetic properties of the carbides Ln_3C_4 (Ln = Ho–Lu) and $Y_3B_{0.2}C_{3.8}$ with Sc_3C_4-type structure, 95
Lanthanum
investigation of the intermediate hydride phase β-$LaNi_5H_{3.5}$ by high pressure and high temperature gravimetry, L17
Lead
superconducting properties of the lead-containing 2212 phase $Bi_{1.75}Pb_{0.25}Sr_2CaCu_2O_{8+\delta}$ with T_c in the range 70–98 K, 337
ultrasonic anomalies in single-phase $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_y$ superconducting ceramics, 27
Luminescence study
structural and luminescence study of europium and terbium tris(bromate) nonahydrates, 273
Lutetium
the structure of $[LuC_9H_3O_6(H_2O)_5]\cdot 4H_2O$, L1

Magnesium
eine neue phase mit granatstruktur: $Ca_{10}Mg_5Cu_3V_{12}O_{48}$, 345
Magnetic properties
magnetic properties of the carbides Ln_3C_4 (Ln = Ho–Lu) and $Y_3B_{0.2}C_{3.8}$ with Sc_3C_4-type structure, 95
structural and magnetic properties of ternary nitrides $R_2Fe_{17}N_x$ (R = Nd, Sm), 51
structural and magnetic study of $Ho_2Fe_{14}BH_x$ (X = 0–3.1), 71
Magnetization
high-field magnetization of $Pr_2(Fe,M)_{14}B$ quasi-ternary compounds with M = Al, Ga and Si, 213
Magnets
towards an easy production route for isotropic rare earth based permanent magnets, 17
Mechanical alloying
mechanical alloying of the high carbon Fe–C system, 237
preparation of amorphous Ti–Si alloys by mechanical alloying, 231
Mercury
thermodynamic investigations of CdTe–HgTe solid solutions, 83
Metal hydrides
new ternary and quaternary metal hydrides with K_2PtCl_6-type structures, 301
Microstructure
long-term changes in electromotive force and microstructure of Rh–Pt thermocouples, 41
Molybdenum
thermodynamic stability of Y_2MoO_6 by the oxide e.m.f. method, 249
Mössbauer study
a ^{57}Fe Mössbauer study of Sm_2Fe_{17}, 33
a Mössbauer spectroscopy study of $RE_2Fe_{17}C_x$ (with RE = Y, Lu, Gd, Ce, Er), 263

Neodymium
mass spectrometer hydrogen desorption studies on some hydrided NdFeB-type alloys, 149
phase relations and electrical conductivities in the Nd–Ce–Cu–O system, 127

Nickel
a phase transition in the pseudoternary solid solutions $YCu_{2-x}Ni_xSi_2$, L13
investigation of the intermediate hydride phase β-$LaNi_5H_{3.5}$ by high pressure and high temperature gravimetry, L17
investigation of the thermal stability and crystallization process of amorphous $Hf_{0.67}Co_{0.33-x}Ni_x$ alloys with $0 \leqslant x \leqslant 0.33$ by differential scanning calorimetry and X-ray diffraction, 369
phase relationships in the Ni–In–P system, 179
preparation of rapidly solidified amorphous $Al_{85}Ni_5Y_{10}$ powder and alloy, 187
separation and hydrogen from H_2–CO gas mixtures using amorphous Ca–Ni alloy films, 353
study on the crystallization of $Al_{88.5}Y_{6.5}Ni_5$ (at.%) amorphous alloy, 1
uniaxial antiferromagnetic ordering in $TbNiSi_2$, 321
Nitrides
structural and magnetic properties of ternary nitrides $R_2Fe_{17}N_x$ (R = Nd, Sm), 51

Oxide e.m.f. method
thermodynamic stability of Y_2MoO_6 by the oxide e.m.f. method, 249
Oxometallates
oxometallate mit partiell salzartigem Anion: die kristallchemie von $BaNi_2(MO_4)_{2-x}(VO_4)_x$(M = As($x$ = 0,67) und P(x = 0,64)) und $SrNi_2(AsO_4)_{2-x}$-$(VO_4)_x$(x = 0,62), 313
zur kristallchemie von oxometallaten AM_2O_4:$CaGa_{2-x}M_xO_4$ mit M = Fe, Al und M = Cr; $CaGa_{0.7}Fe_{0.7}Al_{0.6}O_4$ und $CaGa_{1.65}Cr_{0.35}O_4$, 163

Permanent magnets
towards an easy production route for isotropic rare earth based permanent magnets, 17
Phase diagrams
room temperature section of the phase diagram of the Cu–Fe–Ge ternary system, 113
Phase relations
phase relations and electrical conductivities in the Nd–Ce–O system, 127
Phase relationships
phase relationsips in the Ni–In–P system, 179
Phase transitions
a phase transition in the pseudoternary solid solutions $YCu_{2-x}Ni_xSi_2$, L13
Phosphorus
phase relationships in the Ni–In–P system, 179
Platinum
long-term changes in electromotive force and microstructure of Rh–Pt thermocouples, 41
Praseodymium
high-field magnetization of $Pr_2(Fe,M)_{14}B$ quasi-ternary compounds with M = Al, Ga and Si, 213
$NaPr_nSe_{12}$ und $NaPr_2Se_3$, zwei reduzierte ternare Selenide des Praseodyms, L31

Quasicrystal
quasicrystals: an electron phase, 221

Rare earths
a Mössbauer spectroscopy study of $RE_2Fe_{17}C_x$ (with RE = Y, Lu, Gd, Ce, Er), 263
preparation and characterization of zirconium dioxide catalyst supports modified with rare earth elements, 195
ternäre seltenerd-Iridiumboride $SEIr_2B_2$ (SE = Y, La, Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy) mit $CaRh_2B_2$-struktur, 119
towards an easy production route for isotropic rare earth based permanent magnets, 17
Rhenium
cryst..l structure and superconductivity in Re_2Si, 171
Rhodium
long-term changes in electromotive force and microstructure of Rh–Pt thermocouples, 41

Salt-like anions
oxometallate mit partiell salzartigem Anion: die kristallchemie von $BaNi_2(MO_4)_{2-x}(VO_4)_x$(M = As($x$ = 0,67) und P(x = 0,64)) und $SrNi_2(AsO_4)_{2-x}$-$(VO_4)_x$(x = 0,62), 313
Samarium
a ^{57}Fe Mössbauer study of Sm_2Fe_{17}, 33
Selenides
high-pressure X-ray diffraction study of ThOS and UOSe by synchrotron radiation, L9

$NaPr_5Se_{12}$ und $NaPr_2Se_3$, zwei reduzierte ternäre Selenide des Praseodyms, L31
thermodynamics of the thermal decomposition and formation of ytterbium(III) oxide selenide, 63
Separation
separation of hydrogen from H_2–CO gas mixtures using amorphous Ca–Ni alloy films, 353
Sesquiselenides
crystal data for rare earth sesquiselenides Ln_2Se_3 (Ln = Ho, Er, Tm, Yb, Lu) and structure refinement of Er_2Se_3, L27
Silicides
crystal structure and superconductivity in Re_2Si, 171
uniaxial antiferromagnetic ordering in $TbNiSi_2$, 321
Silicon
a phase transition in the pseudoternary solid solutions $YCu_{2-x}Ni_xSi_2$, L13
preparation of amorphous Ti–Si alloys by mechanical alloying, 231
Silver
un nouveau composé intermétallique tres timide: AgGa, 157
Sodium
$NaPr_5Se_{12}$ und $NaPr_2Se_3$, zwei reduzierte ternäre Selenide des Praseodyms, L31
Strontium
formation of $Bi_ySr_7Ba_xCuO_{25.5+x/2+y}$ phase of the A(BiSrCu) structure type, L23
ultrasonic anomalies in single-phase $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_y$ superconducting ceramics, 27
Structure
crystal data for rare earth sesquiselenides Ln_2Se_3 (Ln = Ho, Er, Tm, Yb, Lu) and structure refinement of Er_2Se_3, L27
the structure of $[LuC_9H_3O_6(H_2O)_5]\cdot 4H_2O$, L1
refinement of the crystal structure of Hf_2Fe, 9
structural and luminescence study of europium and terbium tris(bromate) nonahydrates, 273
structural and magnetic properties of ternary nitrides $R_2Fe_{17}N_x$ (R = Nd, Sm), 51
ternäre seltenerd-Iridiumboride $SEIr_2B_2$ (SE = Y, La, Ce, Pr, Nd, Sm, Eu, Gd, Tb, Dy) mit $CaRh_2B_2$-struktur, 119
the crystal structures of two ternary $M_x(Ga,As)_y$ phases (M = Rh,Pd) with Rh_5Ge_3- and $Cr_{12}P_7$-type derivative structures, 357
Sulphides
high-pressure X-ray diffraction study of ThOS and UOSe by synchrotron radiation, L9
Superconducting ceramics
ultrasonic anomalies in single-phase $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_y$ superconducting ceramics, 27
Superconducting properties
superconducting properties of the lead-containing 2212 phase $Bi_{1.75}Pb_{0.25}Sr_2CaCu_2O_{8+z}$ with T_c in the range 70–98 K, 337
Superconductivity
crystal structure and superconductivity in Re_2Si, 171

Terbium
structural and luminescence study of europium and terbium tris(bromate) nonahydrates, 273
thermodynamic investigations of CdTe–HgTe solid solutions, 83
Ternary phases
RMX compounds formed by alkaline earths, europium and ytterbium
II: Ternary phases with M = Zn, Cd and X = Si, Ge, Sn, Pb, 329
Thermal stability
investigation of the thermal stability and crystallization process of amorphous $Hf_{0.67}Co_{0.33-x}Ni_x$ alloys with $0 \leqslant x \leqslant 0.33$ by differential scanning calorimetry and X-ray diffraction, 369
Thermodynamic stability
thermodynamic stability of Y_2MoO_6 by the oxide e.m.f. method, 249
Thermodynamics
thermodynamic investigations of CdTe–HgTe solid solutions, 83
Thulium
high-pressure X-ray diffraction study of ThOS and UOSe by synchrotron radiation, L9
Titanium
preparation of amorphous Ti–Si alloys by mechanical alloying, 231
Trebium
uniaxial antiferromagnetic ordering in $TbNiSi_2$, 321

Ultrasonic anomalies
ultrasonic anomalies in single-phase $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_y$ superconducting ceramics, 27

Uranium
high pressure synthesis of the hexagonal Laves phase UCoAl, L5
high-pressure X-ray diffraction study of ThOS and UOSe by synchrotron radiation, L9

Vanadium
eine neue Phase mit Granatstruktur: $Ca_{10}Mg_5Cu_3V_{12}O_{48}$, 345

Ytterbium
RMX compounds formed by alkaline earths, europium and ytterbium
II: Ternary phases with M = Zn, Cd and X = Si, Ge, Sn, Pb, 329
thermodynamics of the thermal decomposition and formation of ytterbium(III) oxide selenide, 63

Yttrium
a phase transition in the pseudoternary solid solutions $YCu_{2-x}Ni_xSi_2$, L13
preparation of rapidly solidified amorphous $Al_{85}Ni_5Y_{10}$ powder and alloy, 187
study on the crystallization of $Al_{88.5}Y_{6.5}Ni_5$ (at.%) amorphous alloy, 1
the influence of interstitial hydrogen, carbon and nitrogen atoms on the yttrium hyperfine field in Y_2Fe_{17} and Y_2Co_{17}, 101
thermodynamic stability of Y_2MoO_6 by the oxide e.m.f. method, 249

Zirconium
preparation and characterization of zirconium dioxide catalyst supports modified with rare earth elements, 195